

Message

---

**From:** Salkie, Diane [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C0C3CDBE21C44C5E981B475B4AE81B51-SALKIE, DIANE]  
**Sent:** 5/22/2018 6:57:04 PM  
**To:** Kirchner, Scott [KirchnerSF@cdmsmith.com]; Elizabeth Franklin (Elizabeth.A.Franklin@usace.army.mil) [Elizabeth.A.Franklin@usace.army.mil]  
**CC:** Marabello, David [MarabelloDA@cdmsmith.com]; Julias, Christine [JuliasC@cdmsmith.com]; Roberts, Keegan [robertsk@cdmsmith.com]  
**Subject:** RE: SPME Baseline report comments and list of potential modifications  
**Attachments:** Passaic\_CDM\_Comments\_RM10 9\_SPME\_baseline\_monitoring\_report\_18-May-2018 ds.docx

Sorry forgot to attach.

---

**From:** Salkie, Diane  
**Sent:** Tuesday, May 22, 2018 2:56 PM  
**To:** 'Kirchner, Scott' <KirchnerSF@cdmsmith.com>; Elizabeth Franklin (Elizabeth.A.Franklin@usace.army.mil) <Elizabeth.A.Franklin@usace.army.mil>  
**Cc:** Marabello, David <MarabelloDA@cdmsmith.com>; Julias, Christine <JuliasC@cdmsmith.com>; Roberts, Keegan <robertsk@cdmsmith.com>  
**Subject:** RE: SPME Baseline report comments and list of potential modifications

I have a few questions and comments on this. Please adjust and then I will send it on to Michael and ORC for comments.

I am a little confused about Attachment 2. This seems to be recommendations for better monitoring as opposed to a "lessons learned". That is fine, but what is next? We do need to create a lessons learned document? or list as per CSTAG. Is that on the CPG or us?

Thanks

***Diane Salkie***

US EPA Emergency & Remediation Response Division  
Passaic/Hackensack/Newark Bay Remediation Branch  
[salkie.diane@epa.gov](mailto:salkie.diane@epa.gov)  
212-637-4370

---

**From:** Kirchner, Scott [mailto:KirchnerSF@cdmsmith.com]  
**Sent:** Friday, May 18, 2018 2:33 PM  
**To:** Salkie, Diane <Salkie.Diane@epa.gov>; Elizabeth Franklin (Elizabeth.A.Franklin@usace.army.mil) <Elizabeth.A.Franklin@usace.army.mil>  
**Cc:** Marabello, David <MarabelloDA@cdmsmith.com>; Julias, Christine <JuliasC@cdmsmith.com>; Roberts, Keegan <robertsk@cdmsmith.com>  
**Subject:** SPME Baseline report comments and list of potential modifications

Diane and Beth, attached please find CDM Smith's comments on the CPG's RM 10.9 SPME Baseline Monitoring Report and list of potential modifications to improve cap monitoring. Please contact Keegan at (303) 383-2352 or me if you have any questions regarding this submittal.

Thanks

**Scott F Kirchner**, CHMM | Project Manager | CDM Smith

110 Fieldcrest Avenue, #8, 6th Floor | Edison, NJ 08837 | phone/fax (732) 590-4677 | cell (732) 713-6824